



\* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld




G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte

\* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld




G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte

\* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld





\* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld





G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte



\* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld





A - A





B<sup>1</sup> - B<sup>1</sup>




B<sup>2</sup> - B<sup>2</sup>



B<sup>3</sup> - B<sup>3</sup>




C - C



D - D

- B<sup>1</sup> - B<sup>1</sup> = Einsatzwinkel / Latch plate / Angle d'insertion / Resbalon / Inzethoek  
B<sup>2</sup> - B<sup>2</sup> = Türöffner / Electric release / Gâche électrique / Cerraderos electricos / Electronische deurpenener  
B<sup>3</sup> - B<sup>3</sup> = Tagesfalle / Daytime latch / Gâche journalière / Pestillo día / Dagschoot

\* DIN LS spiegelbildlich / Left hand mirror image / Côté gauche inversé en miroir / Página izquierda en reflejo / Linkerkant spiegelbeeld



G = Griffhöhe / Handle position / Hauteur de poignée / La manilla / Krukhoogte